



## Mohammad Almasi Kashi

Professor

College: faculty of Physics

Department: Condensed Matter Physics

### Papers in Journals

1. Mohammad Almasi , Kashi, Mohammad Hossein Mokarian, Sima Alikhanzadeh , Arani, Improvement of the microwave absorption properties in FeNi/PANI nanocomposites fabricated with different structures, Journal of Alloys and Compounds, 2018/4/25.
2. Abbas Rahdar, Mohammad Almasi ,& Kashi, Entrapment–D-(+)-Glucose Water Nanodroplet: Synthesis and Dynamic Light Scattering, Journal of Nanostructures, 2018/4/1.
3. Abbas Rahdar, Mohammad Almasi ,& Kashi, Asad Muhammad Khan, Mousa Aliahmad, Anayatollah Salimi, Moez, Effect of ion exchange in NaAOT surfactant on droplet size and location of dye within Rhodamine B (RhB)-containing microemulsion at low dye concentration, Journal of Molecular Liquids, 2018/2/1.
4. Alimohammad Mesbahinia, Mohammad Almasi ,& Kashi, Ali Ghasemi, Abdolali Ramezani, First order reversal curve analysis of cobalt-nickel ferrite, Journal of Magnetism and Magnetic Materials, 2019/3/1.
5. Mohammad Almasi , Kashi, Mohammad Hossein Mokarian, Sima Alikhanzadeh , Arani, Improvement of the microwave absorption properties in FeNi/PANI nanocomposites fabricated with different structures. Journal of Alloys and Compounds. ۲۰۱۸/۴/۲۵.
6. Sahar Oroujizad, Mohammad Almasi , Kashi, Sima Alikhanzadeh , Arani, A FORC investigation into the effect of Cu additive on magnetic characteristics of Co-Ni alloy nanoparticles, Journal of Magnetism and Magnetic Materials, 2019/3/1.
7. Alimohammad Mesbahinia, Mohammad Almasi ,& Kashi, Ali Ghasemi, Abdolali Ramezani, First order reversal curve analysis of cobalt-nickel ferrite, Journal of Magnetism and Magnetic Materials, 2019/3/1.
8. کامران حیدریان, محمد الماسی کاشی, Characterization and Magnetic Properties of CoFe<sub>2</sub>O<sub>4</sub> Nanoparticles Synthesized under Gas Atmosphere: Effect of Ferrofluid Concentration on Hyperthermia Properties, Advanced Ceramics Progress, Vol. 9, pp. 45, 2023 01 01, ISC.
9. امیراحسان رضایی, محمد الماسی کاشی, اردشیر بکتاش, Stone-Wales like defects formation, stability and reactivity in black phosphorene, Materials Science and Engineering: B, Vol. 236, pp. 208, 2018 12 01, SCOPUS , ISI-Listed.
10. SF Akhtarianfar, A Ramazani, M Almasi و Kashi, AH Montazer. The effect of barrier layer conditions on the electrodeposition efficiency and magnetic properties of Fe nanowire arrays. Applied Physics A. ۲۰۱۸/۵/۱.
11. وجیهه عسگری بهجت ابادی , محمد نورمحمدی , عبد العلی رضائی , محمد الماسی کاشی . A facile method to form highly-ordered TiO<sub>2</sub> nanotubes at a stable growth rate of ۱۰۰۰ nm min<sup>-1</sup> under ۶۰ V using an organic electrolyte for improved photovoltaic properties. J PHYS D APPL PHYS. ۲۰۱۷ ۸ ۰۱, ISI.
12. Improved sensitivity of UV sensors in hierarchically structured arrays of network-loaded ZnO nanorods via optimization techniques. RSC ADV. ۲۰۱۷ ۶ ۰۱, ISI , SCOPUS.

13. Diameter-controlled synthesis of ZnO nanorods on Fe-doped ZnO seed layer and enhanced photodetection performance. *MATER RES BULL.*, ۲۰۱۷ ۵۰ (۱), ISI, SCOPUS.
14. محمدحسین مکاریان خوزانی, محمد الماسی کاشی, سیما علیخان زاده, عبد العلی رضانی. The fcc/bcc phase transition in  $\text{Fe}_x\text{Ni}_{100-x}$  nanoparticles resolved by first-order reversal curves. *J MATER SCI.*, ۲۰۱۷ ۳۰ (۱), ISI, SCOPUS.
15. Magnetic alloy nanowire arrays with different lengths: Insights into the crossover angle of magnetization reversal process. *J MAGN MAGN MATER.*, ۲۰۱۷ ۱۰ (۱), ISI, SCOPUS.
16. عباس رهدار, محمد الماسی کاشی, ن محمد. Light scattering and optic studies of Rhodamine B-comprising cylindrical-like AOT reversed micelles. *J MOL LIQ.*, ۲۰۱۶ ۹ (۱), ISI.
17. Self-ordered nanopore arrays through hard anodization assisted by anode temperature ramp. *APPL PHYS A-MATER.*, ۲۰۱۶ ۹ (۱), ISI.
18. عباس رهدار و محمد الماسی کاشی. Dynamic and spectroscopic studies of nano-micelles comprising dye in water/ dioctyl sodium sulfosuccinate /decane droplet microemulsion at constant water content. *J MOL STRUCT.*, ۲۰۱۶ ۸ (۱), ISI.
19. عباس رهدار و محمد الماسی کاشی. Photophysics of Rhodamine B in the nanosized water droplets: A concentration dependence study. *J MOL LIQ.*, ۲۰۱۶ ۸ (۱), ISI.
20. Influence of the Surfactant and Annealing Rate on the Morphology, Magnetic and Structural Characteristics of  $\text{Co}_2\text{FeAl}$  Nanoparticles. *J MAGN MAGN MATER.*, ۲۰۱۶ ۸ (۱), ISI.
21. امیرحسین منتظر, عبد العلی رضانی, محمد الماسی کاشی. Magnetically extracted microstructural development along the length of Co nanowire arrays: The interplay between deposition frequency and magnetic coercivity. *J APPL PHYS.*, ۲۰۱۶ ۸ (۱), ISI.
22. عباس رهدار و محمد الماسی کاشی. Dynamic light scattering of xanthan gum biopolymer in colloidal dispersion. *journal of advanced research.*, ۲۰۱۶ ۷ (۱), ISI, SCOPUS.
23. عباس رهدار و محمد الماسی کاشی. Dynamic light scattering of nano-gels of xanthan gum biopolymer in colloidal dispersion. *journal of advanced research.*, ۲۰۱۶ ۷ (۱), ISI, SCOPUS.
24. منار عارف پور, محمد الماسی کاشی, عبد العلی رضانی, امیرحسین منتظر. Electrochemical pore filling strategy for controlled growth of magnetic and metallic nanowire arrays with large area uniformity. *NANOTECHNOLOGY.*, ۲۰۱۶ ۵ (۱), ISI.
25. The effect of Fe-dopant concentration on ethanol gas sensing properties of Fe doped ZnO/ZnO shell/core nanorods. *PHYSICA E.*, ۲۰۱۶ ۵ (۱), ISI, SCOPUS.
26. Irreversible evolution of angular-dependent coercivity in  $\text{Fe}_{80}\text{Ni}_{20}$  nanowire arrays: Detection of a single vortex state. *J MAGN MAGN MATER.*, ۲۰۱۶ ۴ (۱), ISI.
27. اعظم شیرازی تهرانی, محمد الماسی کاشی, عبد العلی رضانی, امیرحسین منتظر. Axially adjustable magnetic properties in arrays of multilayered Ni/Cu nanowires with variable segment sizes. *SUPERLATTICE MICROST.*, ۲۰۱۶ ۴ (۱), ISI.
28. Synthesis, characterization and magnetic Q<sub>1</sub> Q<sub>2</sub> properties of hollow  $\text{Co}_2\text{FeAl}$  nanoparticles: the effects of heating rate. *NEW J CHEM.*, ۲۰۱۶ ۳ (۱), ISI.
29. آمنه منوچهری اردستانی, عبد العلی رضانی, محمد الماسی کاشی, امیرحسین منتظر. Tunable magnetocrystalline easy axis in cobalt nanowire arrays by zinc additive. *MATER SCI ENG B-ADV.*, ۲۰۱۶ ۲ (۱), ISI.
30. Detection of Single-Domain  $\text{Co}_2\text{FeAl}$  Nanoparticles Using First-Order Reversal Curve Method. *METALL MATER TRANS A.*, ۲۰۱۶ ۱۰ (۱), ISI.
31. امیرحسین منتظر, عبد العلی رضانی, محمد الماسی کاشی, ج زاواسنیک. Developing high coercivity in large diameter cobalt nanowire arrays. *J PHYS D APPL PHYS.*, ۲۰۱۶ ۱۰ (۱), ISI.
32. زهرا حاجی جمالی, محمد الماسی کاشی, عبد العلی رضانی, امیرحسین منتظر. Unraveling the roles of thermal annealing and off-time duration in magnetic properties of pulsed electrodeposited NiCu nanowire arrays. *J APPL PHYS.*, ۲۰۱۵ ۵ (۱), ISI, SCOPUS.
33. عبد العلی رضانی, وجیهه عسگری بهجت ابادی, امیرحسین منتظر, محمد الماسی کاشی. Tuning magnetic fingerprints of FeNi nanowire arrays by varying length and diameter. *CURR APPL PHYS.*, ۲۰۱۵ ۴ (۱), ISI, SCOPUS.

34. First-Order-Reversal-Curve (FORC) diagrams of alternative chain of soft/ hard magnetic CoFe/Cu multilayer nanowires. CURR APPL PHYS. ۲۰۱۵ ۱۲ ۰۱، ISI.
35. The roles of temperature and thickness of barrier layer in the electrodeposition efficiency of nickel inside anodic alumina templates. J MATER SCI-MATER EL. ۲۰۱۵ ۱۲ ۰۱، ISI.
36. Reversal modes in FeCoNi nanowire arrays: Correlation between magnetostatic interactions and nanowires length. J MAGN MAGN MATER. ۲۰۱۵ ۱ ۰۱، ISI , SCOPUS.
37. The effect of deposition parameters on the magnetic behavior of CoFe/Cu multilayer nanowires. EUR PHYS J PLUS. ۲۰۱۵ ۱ ۰۱، ISI , SCOPUS.
38. A new approach to fabricating magnetic multilayer nanowires by modifying the ac pulse electrodeposition in a single bath. SURF COAT TECH. ۲۰۱۴ ۸ ۰۱، ISI , SCOPUS.
39. Microstructure and magnetic properties of NiZn nanowires with controlled Zn ion concentration and off-time between pulses. J ALLOY COMPD. ۲۰۱۴ ۷ ۰۱، ISI , SCOPUS.
40. Enhancing photoresponsivity of ultra violet photodetectors based on Fe doped ZnO/ZnO shell/core nanorods. J ALLOY COMPD. ۲۰۱۴ ۷ ۰۱، ISI , SCOPUS.
41. Magnetic behavior of as-deposited and annealed CoFe and CoFeCu nanowire arrays by ac-pulse electrodeposition. J CRYST GROWTH. ۲۰۱۴ ۵ ۰۱، ISI , SCOPUS.
42. The effect of off-time and annealing on the magnetic behavior of  $\text{Co}_x\text{Sn}_{1-x}$  alloy nanowires. J ALLOY COMPD. ۲۰۱۴ ۴ ۰۱، ISI , SCOPUS.
43. Fabrication of single crystalline, uniaxial single domain Co nanowire arrays with high coercivity. SURF COAT TECH. ۲۰۱۴ ۳ ۰۱، ISI.
44. The effect of the thickness ratio of magnetic layers on the microstructure and magnetic properties of  $(\text{CoCrPt})_{97.5}\text{Nb}_{2.5}/\text{Co}_{75}\text{Cr}_{13}\text{Pt}_{12}/\text{Cr}$  thin films. EUR PHYS J PLUS. ۲۰۱۴ ۱۲ ۰۱، ISI , SCOPUS.
45. FORC investigation of as-deposited and annealed CoZn alloy nanowires. PHYSICA B. ۲۰۱۴ ۱۱ ۰۱، ISI , SCOPUS.
46. Enhanced gas-sensing properties of ZnO nanorods encapsulated in an Fe-doped ZnO shell. J PHYS D APPL PHYS. ۲۰۱۴ ۱ ۰۱، ISI , SCOPUS.
47. حامد عباسیان ، محمد الماسی کاشی ، عبد العلی رضانی ، علی خیاطیان، تأثیر لای ههای مختلف اکسید بر خواص ISC. حسگری فیلم آلومینای آندی نانوحفر هدار، پژوهش فیزیک ایران، ۲۰۱۴، ۱۱ ۰۱.
48. The investigation of perpendicular anisotropy of ternary-alloy magnetic nanowire arrays using first-order-reversal-curve (FORC) diagrams. J ALLOY COMPD. ۲۰۱۳ ۹ ۰۱، ISI , SCOPUS.
49. First order reversal curve investigation of the hard and soft magnetic phases of annealed CoFeCu nanowire arrays. PHYSICA B. ۲۰۱۳ ۷ ۰۱، ISI , SCOPUS.
50. Improvement in the microstructure and magnetic properties in arrays of dc pulse electrodeposited Co nanowires induced by Cu pre-plating. J PHYS D APPL PHYS. ۲۰۱۳ ۶ ۰۱، ISI , SCOPUS.
51. Magnetic Properties of  $\text{Ni}_{0.3}\text{Fe}_{0.7}$  Alloy Nanowires. SURF COAT TECH. ۲۰۱۳ ۶ ۰۱، ISC.
52. Influence of the utilized precursors on the morphology and properties of  $\text{YBa}_2\text{Cu}_3\text{O}_{7-y}$  superconducting nanostructures. PHYSICA C. ۲۰۱۳ ۵ ۰۱، ISI.
53. The effect of  $\text{Al}_2\text{O}_3$  additive on the microstructure and magnetic properties of  $(\text{Co}_{75}\text{Cr}_{13}\text{Pt}_{12}/\text{Cr})$  thin films. PHYS STATUS

SOLIDI A. ۲۰۱۳ ۴ ۰۱، ISI , SCOPUS.

54. Structural engineering of nanoporous alumina by controlling the anodization voltage during the spontaneous current oscillation in hard anodization. SURF COAT TECH. ۲۰۱۳ ۳ ۰۱، ISI , SCOPUS.
55. The effect of magnetic layer thickness on magnetic properties of Fe/Cu multilayer nanowires. محمد الماسی کاشی ، عبد العلی رضانی ، فریبا خیری شلمزاری ، الهام جعفری خمسه . MATER CHEM PHYS. ۲۰۱۳ ۱۰ ۰۱، ISI , SCOPUS.
56. Structure and magnetic properties of  $\text{CoxCu}_{1-x}$  nanowires in self-assembled arrays. J ALLOY COMPD. ۲۰۱۲ ۶ ۰۱، ISI , SCOPUS.
57. Dual behavior of magnetic  $\text{Co}_x\text{Fe}_{1-x}$  nanowire embedded in nanoporous with different diameters. J MAGN MAGN MATER. ۲۰۱۲ ۵ ۰۱، ISI , SCOPUS.
58. Magnetostatic Interaction Investigation of CoFe Alloy Nanowires by First-Order Reversal-Curve Diagrams. IEEE T MAGN. ۲۰۱۲ ۱۲ ۰۱، ISI , SCOPUS.
59. Capacitive humidity sensors based on large diameter porous alumina prepared by high current anodization. SENSOR ACTUAT A-PHYS. ۲۰۱۲ ۱۲ ۰۱، ISI , SCOPUS.
60. Effect of AC Electrodeposition Conditions on Microstructure and Magnetic Properties of  $\text{Co}_x\text{Ni}_{1-x}$  Nanowire Arrays Embedded in Anodic Aluminum Oxide Template. JPN J APPL PHYS. ۲۰۱۲ ۱ ۰۱، ISI , SCOPUS.
61. Crystallinity and magnetic properties of electrodeposited Co nanowires in porous alumina. J MAGN MAGN MATER. ۲۰۱۲ ۱ ۰۱، ISI , SCOPUS.
62. Capacitive humidity sensors based on large diameter porous alumina prepared by high current anodization. SENSOR ACTUAT A-PHYS. ۲۰۱۱ ۷ ۰۱، ISI , SCOPUS.
63. Controlled Cu content of electrodeposited CoCu nanowires through pulse features and investigations of microstructures and magnetic properties. APPL SURF SCI. ۲۰۱۱ ۶ ۰۱، ISI , SCOPUS.
64. Magnetic properties improvement through off time between pulses and annealing in pulse electrodeposited CoZn nanowires. J ALLOY COMPD. ۲۰۱۱ ۶ ۰۱، ISI , SCOPUS.
65. The influence of asymmetric electrodeposition voltage on the microstructure and magnetic properties of  $\text{Fe}_x\text{Co}_{1-x}$  nanowire arrays. J CRYST GROWTH. ۲۰۱۱ ۵ ۰۱، ISI , SCOPUS.
66. Self-Ordered Nanopore Arrays with ۳۰۰-۴۰۰nm Interpore Distances Formed by High Field Accelerated Mild Anodization. JPN J APPL PHYS. ۲۰۱۱ ۳ ۰۱، ISI , SCOPUS.
67. Microstructure and magnetic properties in arrays of ac electrodeposited  $\text{Fe}_x\text{Ni}_{1-x}$  nanowires induced by the continuous and pulse electrodeposition. APPL PHYS A-MATER. ۲۰۱۰ ۸ ۰۱، ISI , SCOPUS.
68. Self-ordering of anodic nanoporous alumina fabricated by accelerated mild anodization method. THIN SOLID FILMS. ۲۰۱۰ ۶ ۰۱، ISI , SCOPUS.
69. Ordered Nanoporous Alumina Membranes Formed in Oxalic/Phosphoric Acid Using Hard Anodization. ISC. پژوهش فیزیک ایران، ۲۰۱۰، ۶ ۰۱.
70. Microstructures and magnetic properties of as-deposited and annealed  $\text{Fe}_x\text{Co}_{1-x}$  alloy nanowire array embedded in anodic alumina templates. PHYSICA B. ۲۰۱۰ ۳ ۰۱، ISI , SCOPUS.
71. Preparation and magnetic studies of nickel ferrite nanoparticles substituted by  $\text{Sn}^{4+}$  and  $\text{Cu}^{2+}$ . J MAGN MAGN MATER. ۲۰۱۰ ۱۰ ۰۱، ISI.
72. Fabrication of Self-Ordered Nanoporous Alumina with ۶۹-۱۱۵ nm Interpore Distances in Sulfuric/Oxalic Acid Mixtures by Hard

Anodization, JPN J APPL PHYS, 2010 1 01, ISI, SCOPUS.

73. The effect of growth rate enhancement on the magnetic properties and microstructures of face electrodeposited Co nanowires using non-symmetric reductive/oxidative voltage. J CRYST GROWTH, 2009 8 01, ISI, SCOPUS.
74. The influence of crystallinity enhancement on the magnetic properties of ac electrodeposited Fe nanowires. APPL PHYS A-MATER, 2009 11 01, ISI, SCOPUS.
75. Fabrication of high aspect ratio Co nanowires with controlled magnetization direction using ac and pulse electrodeposition. MATER CHEM PHYS, 2008 4 01, ISI, SCOPUS.
76. Fixed vortex domain wall propagation in FeNi/Cu multilayered nanowire arrays driven by reversible magnetization evolution. J APPL PHYS, 16/02/1398.
77. Deciphering magnetic hyperthermia properties of compositionally and morphologically modulated FeNi nanoparticles using first-order reversal curve analysis. NANOTECHNOLOGY, 11/08/1397.
78. A FORC investigation into the effect of Cu additive on magnetic characteristics of Co-Ni alloy nanoparticles. J MAGN MAGN MATER, 10/12/1397.
79. Tunable optical, electronic and magnetic properties of semiconductor nanoparticles induced by magnetic and nonmagnetic dopants: A comparative experimental and theoretical study. CERAM INT, 05/10/1397.
80. علی خیاطیان محمد الماسی کاشی روح اله عظیمی راد روح اله شاکرنژاد، تأثیر ناخالصی مس بر آشکارسازی نوری فرابنفش نانومیله‌های اکسید روی، Iranian Journal of Physics Research, 30/09/1398.
81. M Mohammadalizadeh, M Almasi Kashi, M Noormohammadi, An investigation into nanomagnetic properties of powder and ordered cobalt nanowires synthesized by a solvothermal technique, Applied Physics A, 26-July 2022.
82. احمدرضا یاسمیان محمد الماسی کاشی عبد العلی رضانی، Surfactant-free synthesis and magnetic hyperthermia investigation of iron oxide (Fe<sub>3</sub>O<sub>4</sub>) nanoparticles at different reaction temperatures, MATER CHEM PHYS, 25/02/1398.
83. K Heydaryan, M Mohammadalizadeh, AH Montazer, M Almasi Kashi, Reaction time-induced improvement in hyperthermia properties of cobalt ferrite nanoparticles with different sizes, Materials Chemistry and Physics, 2023 07 15.
84. Z Hajjamali, A Khayatian, M Almasi Kashi, Optimization of photosensitivity of ultraviolet sensors based on ZnO nanorods etched with ZnO nanopowders using Taguchi method, Applied Physics A, 2023 04 17.
85. F Noori, M Almasi Kashi, AH Montazer, Current density-induced emergence of soft and hard magnetic phases in Fe nanowire arrays, Nanotechnology, 2022/11/29.
86. یدمحمد امین راستی الحسینی علی خیاطیان رضا شریعت زاده محمد الماسی کاشی، Three-dimensional ZnO nanorods growth on ZnO nanorods seed layer for high responsivity UV photodetector, APPL PHYS A-MATER, 20/09/1398.
87. منا عارف پور محمد الماسی کاشی د فاطمه خوانساری برزکی امحمد نور محمدی عبد العلی رضانی، Electrodeposited metal nanowires as transparent conductive electrodes: Their release conditions, electrical conductivity, optical transparency and chemical stability, materials and design, 20/08/1397.
88. MH Abbas, A Ramazani, AH Montazer, M Almasi Kashi, Magnetization reversal properties and magnetostatic interactions of disk to rod-shaped FeNi layers separated by ultra-thin Cu layers, Nanotechnology, 15-June 2022.
89. R Nemati, MH Abbas, A Ramazani, M Almasi Kashi, Tuning magnetostatic interaction and coercivity distributions of FeCo/Cu multilayer nanowire arrays by variation of magnetic and nonmagnetic layer

aspect ratios,Physica B: Condensed Matter,15-February 2023.

90. محمد الماسى كاشى سىما عليخان زاده ميلاد كرم زاده جهرمى .The role of Sn, Zn, and Cu additions on the microwave absorption properties of Co-Ni alloy nanoparticles,J MAGN MAGN MATER,09/07/1398.