

Adaptive Neuro-Fuzzy Intelligent Controller via Emotional Learning for Indirect Vector Control (IVC) of Induction Motor Drives

A. Halvai Niasar

Iran University of Science & Technology (IUST)
halvai@iust.ac.ir

M.A.S. Masoum

m_masoum@yahoo.com

H. Moghbeli

Isfahan University of Technology
moghbeli@cc.iut.ac.ir

Abstract — The principle of a new adaptive Neuro-Fuzzy Controller (NFC) is introduced and used for indirect vector control of induction motor drives. The proposed algorithm has advantages of neural and fuzzy networks and uses a supervised emotional learning process to train the NFC. This newly developed design leads to a controller with minimum hardware and improved dynamic performance. System implementation is relatively easy since it requires less calculation as compared with the conventional fuzzy and/or neural networks, used for electrical drive applications. The proposed controller is used for speed and torque control of an induction motor drive. In order to demonstrate the NFC ability to follow the reference speed and to reject undesired disturbances, its performance is simulated and compared with that of a conventional PID controller.

Keywords: Neuro-Fuzzy Controller, Emotional Learning, Indirect Vector control

1 Introduction

In an indirect vector controlled induction motor drive, the speed controller impacts the drive performance in several important ways. In particular, the q-axis of stator current generated by speed (or torque) controller not only commands the current regulator, but also determines the slip calculation. Therefore, a desired speed controller should not only deliver a satisfactory torque signals, but also generate accurate slip commands to guarantee the independent control of torque and flux. In effect, if the speed controller is intelligently designed, it will have the ability to minimize de-tuning effects and the drive performance will be very robust [1].

Traditionally, a PID controller is often used as the speed controller; the PID controller generally offers fair performance if it is well tuned. However, there are several drawbacks in using PID as the speed controller. For example a set of fixed PID gains cannot satisfy requirements of different speed commands. Moreover, tuning PID gains is tedious and time-consuming [2].

Recently the intelligent algorithms have been used to control highly nonlinear systems complex models and time varying uncertainties. To get the advantages of both fuzzy logic and neural networks, it is demonstrated that the neural-fuzzy systems can be used. So the learning abilities of neural networks and fuzzy inference of fuzzy systems is achieved simultaneously [3-6].

In this paper a new adaptive neural-fuzzy controller is introduced and used for the vector control of induction motor drives. To train the proposed NFC, instead of the traditional back propagation through plant technique, the emotional learning procedure is used. The proposed controller is used for speed and torque control of an induction motor drive. Simulation results are used to show the abilities and shortcomings of the proposed algorithm as compared with the conventional PID controller.

2 Neuro-Fuzzy Systems

In parallel to development of the technology and complexity of the industrial plants, their modeling and control, by using the conventional techniques has become more difficult. Therefore, the conventional mathematical-model-based analysis techniques have become very complex or

in rare cases they have become impossible to apply. On the other hand, human abilities in controlling the complex systems, has encouraged scientists to pattern from human neural network and decision making systems. The researches began in two separate fields and resulted in establishment of the fuzzy systems and artificial neural networks.

There are primarily three concepts prevailing over the intelligent control:

- Fuzzy Logic Control
- Neural Network based Control
- Neuro-Fuzzy Control (Hybrid Control)

In the first concept, the controller is represented as a set of rules, which accepts the input in the form of linguistic variables and gives the output in the form of linguistic variables. The main advantages of such a controller are:

- Approximate knowledge about the plant is required (unlike most optimal and adaptive strategies that require an accurate system model).
- Knowledge representation and inference is relatively simple.
- Implementation is fairly easy.

The fuzzy controller is one rule-based control system. One of the main advantages of using a fuzzy approach is that the fuzzy logic provides the best techniques for knowledge representation that could possibly be devised for encoding knowledge about continuous variables. Figure 1, shows the general model of a fuzzy system, which is composed of four major components [3].

Figure 2 shows a sample of membership functions of input and output variables, which has been used in this paper. Three sets NE, ZE and PO represent negative, zero and positive sets, respectfully. More detailed descriptions of the concepts and definition of a fuzzy logic controller can be found in [3,4]. In the second concept, the controller is represented as a nonlinear map between the inputs and outputs. Depending on a specific plant, the map (in the form of a network) can be trained to implement any kind of control strategy.




Figure 1: General Model of a Fuzzy System




Figure 2: Membership Functions for the Inputs/Outputs

Artificial neural networks with their massive parallelism and ability to learn any type of nonlinearity are used nowadays to address some of the very practical control problems. A neuro-controller (neural networks based control system) performs a specific form of the adaptive control with the controller taking the form of a multi layer network and the adaptable parameters being defined as the adjustable weights. The main advantages of this controller are:

- Parallel architecture
- Any kind of nonlinear mapping is possible
- Training is possible for various operating conditions, therefore it can be adapted to any desired situation.

The simple fuzzy controller represents a good nonlinear controller; however, it cannot adapt its structure whenever the situation demands. Sometimes the fuzzy controllers with fix structures fail to stabilize the plant under wide variations in the operating conditions. These types of controllers also lack the parallelism of neural controllers. On the other hand the Neural Networks are very much adaptive to situations by adjusting their weights accordingly. The parallel architecture enables faster implementation of the control algorithm. However in the presence of noise and other uncertainties the performance may deteriorate. Some times in certain neural controller structures the model of the plant is required. But in case of plants whose model becomes uncertain it is difficult to use neural networks with fixed structures. To get the advantages of fuzzy and neural networks and to overcome their shortcomings, it is wised to use the combination of both, which leads to Neuro-Fuzzy Controllers (NFC). In other words the new hybrid structure can be named as an Adaptive Fuzzy Controller. This is the approach used in this paper.

Figure 3, shows the structure of the NFC, which has been used for motion control. The on-line supervised learning algorithm performs very well when the training data are available on-line. In this paper, the error between the reference and plant output is used to adjust the weights. This controller is an Adaptive Network-based Fuzzy Inference System (ANFIS) [5].




Figure 3: Neuro-Fuzzy Network Structure

2.1 Supervisory Learning in ANFIS

In some situations it may be desirable to design an automatic controller, which mimics the action of the human. This has been called supervised control. A neural network provides one possibility for this. Training the network is similar in principle to learning a system forward model. In this case, however, the network input corresponds to the sensory input information received by the human. The network target outputs used for training correspond to the human control input to the system. Figure 4 shows the NFC as a supervisory controller.

The Error Back Propagation Through Plant (EBP-TP) technique is one of the general approaches for training neural networks [6-7]. In EBP-TP technique, output error of the controller is passed through the plant, and updating law of the weights is achieved. However, this technique has some defects, such as sensitivity to noise, disturbance and learning rate coefficient. To develop the learning, emotional learning ability can be added to EBP-TP algorithm. In this supervisory learning algorithm, one supervisor (as a critic) controls the network behavior and reminds it the correct operation. Figure 5 shows a NFC controller by using a critic. Therefore, critic which shows amount of the system stress, can be described like a simple PD control system as:




Figure 4: Supervisory Controller




Figure 5: Supervisory Controller by using one Critic

$$S = k_1 \cdot e + k_2 \cdot \dot{e} \quad (1)$$

Where k_1 , k_2 are critic coefficients and should be set suitable. For training the neuro-fuzzy system with linear PD critic, the criterion is selected as:

$$E(W_i) = \frac{1}{2} S^2 \quad (2)$$

The parameter W_i should be adjusted in the direction of negative gradient of E . Thus, for the last layer, we have

$$\Delta W_i \propto -\frac{\partial E}{\partial W_i} \quad (3)$$

By using the chain differential law

$$\Delta W_i \propto -\frac{\partial E}{\partial S} \cdot \frac{\partial S}{\partial u} \cdot \frac{\partial u}{\partial W_i} \quad (4)$$

or

$$\Delta W_i \propto -S \frac{\partial S}{\partial y} \cdot \frac{\partial y}{\partial u} \cdot \frac{\partial u}{\partial W_i} \quad (5)$$

Thus:

$$\Delta W_i \propto -\eta \cdot S \cdot \frac{\partial u}{\partial W_i} \quad (6)$$

Therefore, the online updating law of weights is written as:

$$W_{i,new} = W_{i,old} + \eta \cdot S \cdot e \cdot \frac{u_i^4}{\sum_{i=1}^9 u_i^4} \quad (7)$$

Where η is the learning rate coefficient of the network. It is possible to generalize training to previous layers. But in the sense of practical remarks, it has some defects and therefore, we content learning only for the last layer [8].

It is possible to use another critic in parallel to error critic (1st critic). This can limit the control effort. Simultaneous operation of critics makes it possible to lower following error and control effort.

Therefore, \hat{u}_{sx} and \hat{u}_{sy} directly control the stator currents i_{sx} and i_{sy} through a simple time delay element. The overall block diagram of the indirect vector controlled induction motor drive has been shown in Figure 6. In this drive system, the current controllers, flux controller, and torque controller can be designed as PID controllers, where as the Emotional Neuro-Fuzzy controller can be used to control the speed at velocity loop [2, 9,10].

4 Simulation Results

In this section some simulation results are used to explore the proposed NF controller and compare its performance with the conventional PID controller. The Critic in the neuro-fuzzy controller has been selected as $S_1 = 5 \cdot e + 50 \cdot \dot{e}$, and the learning rate coefficient is set to $\eta = 0.6$. PID controller is assigned by $k_p = 20$, $k_i = 5$. Usually PID controller parameters are adjusted by trial and error. It should be noted that the inner loop controllers (current controllers) should be faster than outer loops. Simulations are performed using a three phases squirrel cage induction motor with $P_{rated} = 15 KW$. Motor nominal parameters are given in the appendix. In Figures 7 and 8 show the speed tracking with NFC and PID controllers, respectively. With NFC, speed follows its reference with better dynamic. At $t=1$ sec and $t=3$ sec, load torque is applied to the motor and as expected, NFC demonstrates a better rejection ability as compared with the PID controller. Figures 9 and 10 show the developed torque and rotor flux tracking. In Figures 11 and 12, the x, y components of stator current are shown. Figure 13 shows the stress signal of the critic.




Figure 9: Developed Torque with NFC




Figure 8: Speed Tracking with PID controller




Figure 10: Reference Rotor Flux Following




Figure 7: Speed Tracking with NFC




Figure 11: i_{sx} (Flux Component of Stator Current)




Figure 12: i_{sy} , (Torque Component of Stator Current)




Figure 13: Stress Signal of the Critic

5 Conclusion

In this paper, an adaptive Neuro-Fuzzy Controller (NFC) based on emotional learning has been proposed and investigated. To improve controller performance a critic has been defined and used to supervise the learning of neural network. In addition, other critics are used to lower amount of control effort. Performance of the proposed NFC is analyzed and compared with the conventional PID controllers.

Base on the simulation results, the following main conclusions can be stated about the proposed NFC:

- It enjoys the fine abilities and advantages of both the fuzzy and the neural networks.
- It is more robust against the uncertainties compared with the PI and PID controllers.
- Due to its non-model base, it can be used to control a wide range of complex and nonlinear systems.
- It does not require an accurate model of the induction motor, its knowledge representation and interface description is relatively simple and therefore its construction and implementation is fairly easy.
- It doesn't require knowledge of expert man to obtain and set its rule bases since less number of adjustable parameters is involved (as compared with fuzzy and/or neural systems).

References

- [1] W. Leonhard, *Control of Electrical Drives*, Springer-Verlag, Berlin, 1985.
- [2] G. Won Chang, G. E. Perez, "Tuning Rules for the PI Gains of Field- Oriented Controllers of Induction Motors", *IEEE Trans. on Industrial Electronics*, Vol. 47, No. 3, June 2000.
- [3] C. Chein, " Fuzzy Logic in Control Systems: Fuzzy Logic Controller, Part 1-2", *IEEE, Trans. on Systems, Man and Cybernetics*, Vol. 20, No. 2, pp. 404-428, March/April 1990.
- [4] P.K. Dash, S.K Panda, T.H. Lee, J.X. XU, A. Routray, "Fuzzy and Neural Controllers for Dynamic Systems: An Overview", *IEEE, Proc. on Power Electronics and Drive Systems*, Vol. 2, pp. 810-816, 1997.
- [5] J. Jang, C. Sun, E. Mizutani, *Neuro-Fuzzy and Soft Computing*, Prentice-Hall, Inc. 1997.
- [6] C. Lin, Y. Lu, "A Neural Fuzzy System with Fuzzy Supervised Learning", *IEEE, Trans. on Systems, Man and Cybernetics*, Vol. 26, No. 5, Oct. 1996.
- [7] J. Jang, "Self Learning Fuzzy Controller Based on Temporal Back-Propagation", *IEEE Trans. Neural Network*, Vol. 3, pp. 714-723, Sep. 1992.
- [8]. S.A. Jazbi, *Development of Emotional Learning Methods for Intelligent Control and its Industrial Applications*, M.S. Thesis, University of Tehran, 1998.
- [9] H. Lee, S. Seong, J. Lee, "Approach to Fuzzy Control of An Indirect Field-Oriented Induction Motor Drives", *IEEE, ISIE 2001*, Korea.
- [10] P. Vas, *Sensorless Vector and Direct Torque Control*, Oxford University Press, 1998.

Appendix: Motor Parameters

$$U_n = 380 \text{ volt}$$

$$P_n = 15 \text{ Kw}$$

$$f_n = 50 \text{ Hz}$$

$$J_{nomi} = 0.1$$

$$Z_p = 3$$

$$L_m = 32.2 e - 3 \text{ H}$$

$$L_r = 34.1 e - 3 \text{ H}$$

$$L_s = 34.3 e - 3 \text{ H}$$

$$R_r = 0.023 \Omega$$

$$R_s = 0.324 \Omega$$