

## لیلا مرادی

دانشیار

دانشکده: دانشکده شیمی

گروه: شیمی آلی



### اطلاعات استخدامی

پایه	نوع همکاری	نوع استخدام	عنوان سمت	محل خدمت
	تمام وقت	رسمی قطعی	عضو هیأت علمی	دانشگاه کاشان

### مقالات در همایش ها

- Atieh Ahmadi ,& Leila Moradi ,Synthesis of Dihydropyrano[2,3-g]chromenes Catalyzed by .1 Metformin Under Ambient Conditions ,22nd Iranian Chemistry Congress (ICC22) ,2024/05/15
- Atieh Ahmadi ,& Leila Moradi ,ynthesis of pyrido[2,3-d:5,6-d']dipyrimidine derivatives in the .2 presence of high efficient catalyst ZnO NPs ,29th Iranian Organic Chemistry Conferece ,2023/11/03
- Leila moradi, Pegah mehdypor ,Green synthesis of dihydropyrimido[4,5-b]quinolinetrione .3 Derivatives in the presence of CoFe2O4@SO3H as high efficient solid acid catalyst ,The 25th .Iranian Seminar of Organic Chemistry ,Tehran ,2017
- Leila Moradi, Hamideh Rouhi ,& Sasi ,One-pot synthesis of 1H-pyrazolo[1,2-b]phthalazine-5,10- .4 dione derivatives using modified perlite nanoparticles with ionic liquid As a new efficient catalyst under thermal condition ,The 25th Iranian Seminar of Organic Chemistry ,Tehran ,2017
- Leila moradi, Pegah mehdypour ,Synthesis of Dihydropyrimido[4,5-b]quinolinetrione Derivatives .5 Using CoFe2O4/poly phosphoric acid as a new solid acid catalyst ,The 25th Iranian Seminar of Organic Chemistry ,Tehran ,2017
- Masoumeh Ahmadi, Masoud Sadeghzadeh, Leila Moradi, Roya Mahinpour ,Benzamides .6 derived from L-phenyl alaninol as novel ligands for human D2 and D3 dopamine receptors ,The .25th Iranian Seminar of Organic Chemistry ,Tehran ,2017
- Zahraie. Z, Moradi. L, Mahinpour. R, Pahlevanzadeh. N ,Evaluation of antimicrobial activity .7 of some 1,4-dihydropyridine derivatives containing nitro groups ,1st Congress of Chemical Biotechnology ,Tehran ,2016
- Leila Moradi, Zohre Zahraei, Roya Mahinpour, Nafiseh pahlevanzadeh ,Antimicrobial properties .8 of some 1,4-dihydropyridine derivatives containing chlorine groups ,1th congress of Biotechnology ,Tehran ,2016
- Masoumeh Ahmadi, Masoud Sadeghzadeh, Leila Moradi, Roya Mahinpour ,Synthesis of novel .9 phenylalaninol-based benzamides as dopamine receptor ligands ,The 24nd Iranian Seminar of Organic Chemistry ,Tabriz ,2016

- Leila Moradi, Zeynab Ataei ,Efficient one-pot synthesis of spirooxindole derivatives using CuO .10  
.nanoparticles ,6th International congress on Nanoscience & Nanotechnology ,Karaj ,2016
- Maryam Tadayon, Leila Moradi ,Solvent-free one-pot synthesis of Biginelli compounds using .11  
acid / meglumine as high efficient catalyst ,The 23nd Iranian Seminar of Organic Chemistry  
.Sanandaj ,2015
- Leila Moradi, Maryam Aghamohammad Sadegh ,One-pot pseudo-five-component cynthesis .12  
of cihydropyrano [2,3- g]chromene derivatives ,The 23nd Iranian Seminar of Organic Chemistry  
.Sanandaj ,2015
- Nafiseh Pahlevanzadeh, Roya Mahinpour, Leila Moradi ,Synthesis of 1,4-dihydropyridine .13  
derivatives in the presence of aminated multiwalled carbon nanotubes ,The 23nd Iranian Seminar  
.of Organic Chemistry ,Sanandaj ,2015
- H. Fahimitabar, H. A.Rafieipour, L. Moradi ,33. Amination of multiwalled carbon nanotubes .14  
and investigation of its efficiency in glucose oxidase immobilization ,The 5th International  
.Congress on Nanoscience & Nanotechnology (ICNN2014) ,Tehran ,2014
- Leila Moradi, Mina Zare ,One-Pot synthesis of 1,4-dihydropyridine Derivatives In the presence .15  
of Meglumine@MWCNTs as high efficient catalyst ,5th International congress on nanoscience &  
.Nanotechnology (ICNN 2014) ,Tehran ,2014

### مقالات در نشریات

- Azam Moazeni Bistgani , Abdulhamid Dehghani , Leila Moradi,Efficient synthesis of 1,2- .1  
disubstituted benzimidazoles catalyzed by phosphoric acid as a homogeneous catalyst under  
mild conditions and investigating their anti-diabetes properties through molecular docking  
.studies and calculations,RSC Advances,2023 12 08
- Atiyeh khollat ,& Leila Moradi,Efcient synthesis of some [1,3]-oxazine derivatives in the .2  
presence of solid acid nano catalyst based on ferrierite and study on their activity against breast  
.cancer through molecular docking calculation,Scientific reports,2024 07 13
- Azam Moazeni Bistgani ,& Leila Moradi,Meglumine Sulfate as an Effective Catalyst for the .3  
Preparation of some Indeno[1,2-b]indole-9,10-dione Derivatives,Organic Chemistry Research,2024  
.03 01
- Mohaddeseh Dehnavian, Leila Moradi, Azam Moazeni Bistgani,Stepwise synthesis of magnetic .4  
mesoporous silica nanoparticles decorated with SnO<sub>2</sub> quantum dots as an efficient, recyclable,  
and green nanocatalyst for the synthesis of benzo[a]pyrano[3,2-c]phenazine derivatives,Applied  
.Organometallic Chemistry,2024 07 23
- Leila Moradi, Hamideh Rouhi Sasi, Abdulhamid Dehghani,introducing a high throughput .5  
nanocatalytic method toward the synthesis of some pyrazolo phthalazine derivatives under  
green conditions utilizing imidazolium based ionic liquid supported on the silica-coated  
.nanosized perlite as a novel, reusable and eco-,Research on Chemical Intermediates,2024 02 19
- Azam Moazeni Bistgani ,& Leila Moradi,Immobilization of ionic liquids (ILs) on magnetic .6  
mesoporous silica nanotubes: A high throughput and reusable nanocatalyst for the green  
.synthesis of indeno[1,2-b]indolone derivatives,icroporous and Mesoporous Materials,2024 03 28
- Narjes Palizi, Leila Morad,Green pathway to the synthesis of some spirooxindole derivatives .7  
using NGO/PMA as a new and effective solid acid catalyst,Applied organometallic chemistry,Vol.  
.37,pp. 1,2023,SCOPUS ,JCR
- Mahla Toorbaf, Leila Moradi , Abdulhamid Dehghani,Preparation of GO/Cys-Cu(II) as a novel, .8  
effective and recoverable catalyst for the multi component synthesis of spirooxindoles under  
.mild conditions,Journal of molecular structure,Vol. 1294,pp. 136335,2023,SCOPUS ,JCR
- Pegah Mahdipour, Leila Moradi, Mahdi Mirzaie,Green Synthesis of Dihydropyrimido[4,5- .9  
b]quinolinetriones by Sulfonic Acid-Functionalized Silica-Coated CoFe2O4 as a Solid Acid  
.Nanocatalyst under Thermal and Ultrasonic Conditions,ChemistrySelect,2023

- Mina Zare and Leila Moradi, Modification of magnetic mesoporous N-doped silica .10  
nanospheres by CuO NPs: a highly efficient catalyst for the multicomponent synthesis of some  
.propellane indeno indole derivatives, RSC Advances, 2023
- Azam Moazeni Bistgani, Leila Moradi , Abdulhamid Dehghani, Preparation and .11  
characterization of MWCNTs/CONHBu and investigation of its catalytic effect in the multi  
component synthesis of 2-amino-4H-chromenes under green conditions, catalysis  
.communications, 2023
- Leila Moradi, Seyyed Hojjat Sadeghi, Efficient pathway for the synthesis of amido alkyl .12  
derivatives using KCC-1/PMA immobilized on magnetic MnO<sub>2</sub> nanowires as recyclable solid acid  
.catalyst, Journal of molecular structure, 2022
- Mohaddeseh Dehnavian, Abdulhamid Dehghani and Leila Moradi, Introducing a green .13  
nanocatalytic process toward the synthesis of benzo[a]pyrano-[2,3-c]phenazines utilizing copper  
oxide quantum dot-modified core-shell magnetic mesoporous silica nanoparticles as high  
.throughput and reusable nanocatalysts, RSC Advances, 2022
- Pegah Mahdipour, Leila Moradi, Mahdi Mirzaie[b], Green Synthesis of Dihydropyrimido[4,5- .14  
b]quinolinetriones by Sulfonic Acid-Functionalized Silica-Coated CoFe<sub>2</sub>O<sub>4</sub> as a Solid Acid  
Nanocatalyst under Thermal and Ultrasonic Conditions, chemistryselect, Vol. 7 pp.  
.202203824, 2022, SCOPUS, JCR
- Mina Zare , Leila Moradi, Preparation of hollow mesoporous boron nitride spheres with .15  
surface decorated by CuO: A bifunctional acid-base catalyst for the green synthesis of some  
.heterocyclic [3,3,3] propellane derivatives in water media, Applied surface science, 2022
- P. Mahdipour, L. Moradi, M. Mirzaie, Green synthesis of dihydropyrimido[4,5-b]quinolinetriones .16  
by sulfonic acid-functionalized silica-coated CoFe<sub>2</sub>O<sub>4</sub> as a solid acid nanocatalyst under thermal  
.and ultrasonic conditions, ChemistrySelect, 2022
- Seyyed Hojjat Sadeghi, Shekofeh Neamani & Leila Moradi, Immobilization of CdCl<sub>2</sub> on .17  
filamentous silica nanoparticles as an efficient catalyst for the solvent free synthesis of some  
.amidoalkyl derivatives, Polycyclic Aromatic Compounds, 2022
- Shekofeh Neamani and Leila Moradi, Loading of g-C<sub>3</sub>N<sub>4</sub> on Core-Shell Magnetic Mesoporous .18  
Silica Nanospheres as a Solid Base Catalyst for the Green Synthesis of some Chromene  
.Derivatives under Different Conditions, Chemistryopen, 2022
- Mina Zare , Leila Moradi, Preparation of hollow mesoporous boron nitride spheres with .19  
surface decorated by CuO: A bifunctional acid-base catalyst for the green synthesis of some  
.heterocyclic [3,3,3] propellane derivatives in water media, Applied surface science, 2022
- Haneye Amini, Shekofeh Neamani, and Leila Moradi, Green Synthesis of Pyrazolo Pyrano .20  
Pyrimidine Derivatives Using ZnFe<sub>2</sub>O<sub>4</sub>/GA as a New Effective Catalyst in Water  
.Media, Chemistryselect, 2021
- Mina Zare | Leila Moradi, Preparation and characterization of GO/KCC-1/Ni(II) as an efficient .21  
catalyst for the green synthesis of some 1,8-dioxodecahydroacridine derivatives, Applied  
.Organometallic Chemistry, 2021
- Mina Zare and Leila Moradi, Preparation and Modification of Magnetic Mesoporous .22  
Alumina Composites as Green Catalysts for the Synthesis of Some Indeno[1,2- $\square$ ]Silica  
.b]Indole-9,10-Dione Derivatives in Water Media, Polycyclic Aromatic Compounds, 2021
- Seyyed Hojjat Sadeghi, Leila Moradi, Solvent free synthesis of amidoalkyl derivatives under .23  
.green and convenient conditions, Journal of Heterocyclic Chemistry, 2021
- Leila Moradi\* , Mahdi Mirzaie , Hamideh Rouhi Sasi, Preparation and characterization of .24  
perlite nanoparticles modified with guanidine as an efficient solid base catalyst for the  
multicomponent synthesis of 1H-pyrazolo [1,2-b] phthalazine-5,10-dione derivatives, Journal of  
.molecular structure, 2021
- Mahla Toorba and Leila Moradi, Preparation of GO/SiO<sub>2</sub>/PEA as a new solid base catalyst .25  
.for the green synthesis of some spirooxindole derivatives, RSC Advances, 2021 6 7

- Masoumeh Ahmadi, Leila Moradi, Masoud Sadeghzadeh, Green synthesis of benzochromenopyrimidines in the presence of MWCNTs@SiO<sub>2</sub>/MSA as a new and effective solid acid catalyst under microwave irradiation, Journal of Molecular Structure, 2021, 26(2), 26.
- Shekofeh Neamani, Leila Moradi and Mingxuan Sun, Core-shell magnetic mesoporous N-doped silica nanoparticles: solid base catalysts for the preparation of some arylpyrimido[4,5-b]quinoline diones under green conditions, RSC Advances, 2020, 10(1), 10.
- Hakimeh Saeidiroshan, Leila Moradi, Multiwalled carbon nanotubes/guanidine/Ni (II): A new and effective organometallic catalyst for the green synthesis of pyrazolopyranopyrimidines, Applied Organometallic Chemistry, 2020, 9(12).
- Hakimeh Saeidiroshan, Leila Moradi, Efficient and green synthesis of dihydropyrimido[4,5-b]quinolinetriones using MWCNTs@TEPA/Co (II) as a novel and eco-friendly catalyst, Applied Organometallic Chemistry, 2020, 27(3).
- Shekofeh Neamani and Leila Moradi, Synthesis of New and Highly Functionalized Dihydropyridines and Spirooxindole Dihydropyridines Using L-Proline as Efficient Catalyst, ChemistrySelect, 2020, 6(26).
- Reyhaneh Rahnamafar, Leila Moradi, Mehdi Khoobi, Rapid and green synthesis of 4H-benzo[b]pyrans using triethanolamine as an efficient homogeneous catalyst under ambient conditions, Res. Chem. Int., 2020, 10(1).
- Reyhaneh Rahnamafar, Leila Moradi, Mehdi Khoobi, Synthesis of benzo[b]xanthene-triones and tetrahydrochromeno[2,3-b]xanthene tetraones via three- or pseudo-five-component reactions using Fe<sub>3</sub>O<sub>4</sub>@SiO<sub>2</sub>/PEtOx as a novel, magnetically recyclable, and eco-friendly nanocatalyst, J. Heterocyclic Chem., 2020, 20(1).
- Fateme Asgari, Roya Mahinpour, Leila Moradi, Nooshin Haghishipour, The chromene derivative 4-Cl<sub>2</sub>pgc inhibits cell proliferation and induces apoptosis in the K562 cell line, Journal of Cell Communication and Signaling, 2019, 31(7).
- Asgari F, Mahinpour R, Haghishipour N, Moradi L, Investigation of toxicity effect of 4-MePgC and 4-No<sub>2</sub>pgC two derivatives dihydropyrano [2,3-g] chromene on the K562 cell line (chronic myeloid leukaemia), Modares Journal of Biotechnology, 2019, 20(1).
- Leila Moradi, Pegah Mahdipour, Green and rapid synthesis of dihydropyrimido [4,5-b] quinolinetrione derivatives using CoFe<sub>2</sub>O<sub>4</sub>@PPA as high efficient solid acidic catalyst under ultrasonic irradiation, Applied Organometallic Chemistry, 2019, 23(4).
- Masoumeh Ahmadi, Leila Moradi, Masoud Sadeghzadeh, Solvent-free synthesis of amidoalkyl naphthols in the presence of MWCNTs@SiO<sub>2</sub>/SO<sub>3</sub>H as effective solid acid catalyst, Monatshefte f. r. Chemie, 2019, 21(5).
- Masoumeh Ahmadi, Leila Moradi, Masoud Sadeghzadeh, MWCNTs@NHBut/PTA: New efficient solid acid catalyst for solvent free synthesis of benzochromenopyrimidines, Applied Organometallic Chemistry, 2019, 21(4).
- Shekofeh Neamani, Leila Moradi, Mingxuan Sun, Synthesis of magnetic hollow mesoporous N-doped silica rods as a basic catalyst for the preparation of some spirooxindole-1,4-dihydropyridine derivatives, Appl. Surf. Sci., 2019, 19(10).
- L. Moradi, M. Mirzaei, Immobilization of Lewis acidic ionic liquid on perlite nanoparticle surfaces as a highly efficient solid acid catalyst for the solvent-free synthesis of xanthene derivatives, RSC ADV, 2019, 9(19940).
- H. Saeidi Roshan, L. Moradi, Immobilization of Cu(II) on MWCNTs@L-His as a new high efficient reusable catalyst for the synthesis of pyrido[2,3-d:5,6-d']dipyrimidine derivatives, J. Organomet. Chem., 2019, 893(1).
- L. Moradi, Z. Ataei, Z. Zahraei, Convenient synthesis of spirooxindoles using SnO<sub>2</sub> nanoparticles as effective reusable catalyst at room temperature and study of their in vitro antimicrobial activity, J. Iranian Chem. Soc., 2019, 16(1273).
- M. Ahmadi, L. Moradi, M. Sadeghzadeh, Synthesis of benzamides through direct

- condensation of carboxylic acids and amines in the presence of diatomite earth@IL/ZrCl<sub>4</sub> under ultrasonic irradiation.Res. Chem. Int .۷۸۷۳،۲۰۱۸،شماره صفحات ۴۴،مجلد ۲۰.
- L. Moradi, M. Zare.Ultrasonic-promoted green synthesis of 1,4-dihdropyridines using functionalized MWCNTs as a highly efficient heterogeneous catalyst.Green Chem. Lett. Rev .۱۹۷،۲۰۱۸،شماره صفحات ۴۳،مجلد ۲۰.
- L. Moradi, M.Tadayyon.یک روش جدید، ساده و ارزان برای سنتز مشتق های ۴،۳-دی هیدرو پیرimidینون با استفاده از کاتالیزگر کارآمد مگلومین در استیک اسید،مجله علمی-پژوهشی شیمی کاربردی.۱۰ ۵ ۲۰۱۸.
- R. Mahinpour, L. Moradi, Z. Zahraei, N. Pahlevanzadeh.New synthetic method for the Synthesis of 1,4-dihdropyridine using aminated multiwalled carbon nanotubes as high efficient catalyst and investigation of their antimicrobial properties.J. Saudi Chem. Soc .۸۷۶،۲۰۱۸،شماره صفحات ۴۵.
- L.Moradi, M.Tadayyon.Green synthesis of ۳,۴-dihdropyrimidinones using nano Fe<sup>3+</sup>O<sub>4</sub>@meglumine sulfonic acid as a new efficient solid acid catalyst under microwave .۶۶،۲۰۱۸،مجلد ۲۲،شماره صفحات ۴۶.
- L. Moradi, M.A.Mohammad sadegh.One-pot pseudo-five-component synthesis of ۴Y dihydropyrano[۲,۳-g] chromenes using sodium phthalimide/[BMIM]BF<sub>4</sub> as high efficient catalytic system.Iranian J. Catal .۱۴۷،۲۰۱۷،شماره صفحات ۴۷،مجلد ۷.
- L. Moradi, Z. Ataei.Efficient and green pathway for one-pot synthesis of spirooxindoles in the presence of CuO nanoparticles.Green Chem. Lett. Rev .۳۸۰،۲۰۱۷،شماره صفحات ۴۸.
- L.Moradi, M.A. Mohammad Sadegh.Sodium Saccharin as an Effective Catalyst for Rapid One-pot Pseudo-five Component Synthesis of Dihydropyrano[۲,۳-g]chromenes under Microwave .۵۰۶،۲۰۱۷،شماره صفحات ۴۹.
- L.Moradi, I. Etesami.New route for bromination of multiwalled carbon nanotubes under mild and efficient conditions.Fuller. Nanotub. Car. N .۲۱۳،۲۰۱۶،شماره صفحات ۵۰.
- L.Moradi, Kh. Rabiei, F. Balali.Meglumine sulfate catalyzed solvent-free onepot synthesis of coumarins under microwave and thermal conditions.Synth.Commun .۱۲۸۳،۲۰۱۶،شماره صفحات ۵۱.
- L.Moradi, Gh.R. Najafi, H. Saeidi Roshan.New Method for Preparation of MWCNT-SO<sub>3</sub>H as Efficient and Reusable Catalyst for the Solvent Free Synthesisof ۳,۴-dihdropyrimidin-۲(1H)-thiones.Iranian J. Catal .۳۵۷،۲۰۱۵،شماره صفحات ۵۲.
- L. Moradi, M.Zare.One Pot Three Component Synthesis of ۲-amino-4H-Chromenes under Green and High Efficient Conditions.Iranian J. Catal .۲۹۷،۲۰۱۵،شماره صفحات ۵۳.
- L. Moradi, F. Balali.Solvent free One-pot Synthesis of Coumarins Using Molybdate sulfuric acid as high efficient catalyst in Thermal and Microwave Conditions.J. Iran. Chem. Soc .۱۹۲۷،۲۰۱۵،شماره صفحات ۵۴.
- L. Moradi, M. Rezaei Bina, T. Partovi.New strategy for chemically attachment of Schiff base complexes on Multiwalled Carbon Nanotubes surfaces.Curr. Chem. Lett .۱۴۷،۲۰۱۴،شماره صفحات ۵۵.
- L. Moradi, A. Mohajeri, H. Naeimi, A.M.Rashidi.Amidation of Multiwalled Carbon Nanotubes in mild and efficient conditions;J. Nanosci. Nanotechnol .۱۹۲۳،۲۰۱۳،شماره صفحات ۵۶.
- H. Naeimi, A. Mohajeri, L.Moradi, A.M.Rashidi.Solubilization of Multi Walled Carbon Nanotubes under a Facile and Mild Condition.J. Nanosci. Nanotech .۸۹۰۳،۲۰۱۱،شماره صفحات ۵۷.
- H. Naeimi, A.Mohajeri, L.Moradi, A.M.Rashidi.Efficient and facile one pot carboxylation of multiwalled carbon nanotubes by Using Oxidation with Ozone under Mild Conditions.Appl. Surf. Sci .۶۳۱،۲۰۰۹،شماره صفحات ۵۸.
- H.Naeimi, L.Moradi.Ortho Acylation of Phenol and Naphthol Derivatives with FeCl<sub>3</sub> under Microwave Conditions.Russian J. Org. Chem .۱۷۵۶،۲۰۰۷،شماره صفحات ۵۹.
- H. Naeimi, L. Moradi.Facile, Convenient and Regioselective Direct Ortho-Acylation of Phenol and Naphthols with Lewis Acids Under microwave Conditions.J. Mol. Catal. A: Chem .۶۰،شماره صفحات ۶۰.

.۲۵۶، شماره صفحات ۲۰۰۶، ۲۴۲.

H. Naeimi, L. Moradi. Efficient and Mild Synthesis of Orthohydroxyaryl Ketones Catalyzed by Zinc Chloride Under Solvent-Free Condition and Microwave Irradiation. *Catal. Commun.* .۶۱

.۷، شماره صفحات ۲۰۰۶، ۱۰۶۷.

M. Mazloum, M. Jalayer, H. Naeimi, L. Moradi. Perchlorate-Selective membrane electrode .۶۲  
.۱۸۶، ۲۰۰۵، شماره صفحات ۳۸۱، مجلد ۳۸، based on a new complex of Uranil. *Anal. Bioanal. Chem.*

M. Mazloum, M. Jalayer, H. Naeimi, H.R. Zare, L. Moradi. Thiocyanate Ion-Selective PVC .۶۳  
Membrane Electrode Based on N,N-Ethylene-bis ( $\beta$ -methyl salicylidineiminato)nickel(II). *Anal. Sci.*

H. Naeimi, L. Moradi. Microwave Assisted Ortho Acylation of Phenol and Naphthol Derivatives .۶۴  
.۲۸۷، ۲۰۰۵، شماره صفحات ۷۸، مجلد ۲۸، by  $BF_3\cdot(C_2H_5)_2O$ . *Bull. Chem. Soc. Jpn.*